

## Go-EZ<sup>™</sup> Headed + HBS<sup>®</sup> Headless

## Cannulated Compression Screw Systems





## Sterile Packaged

Each screw is individually sterile packed and housed in a protective blister to protect screw threads. This ensures sharp cutting teeth and improves traceability for hospital and patient records.



Unique Cutting Tips Self-drilling + self-tapping cutting tips for effortless screw advancement.

	Go-EZ Headed Compression Screws								
	Ø	Length	Driver (Hex)	Guide Wire	Drill	Color	Tip*		
	2.0mm	6-50mm (2mm increments)	1.5mm	.035" (0.9mm)	1.7mm	Blue	SDST		
ja na statute s	2.5mm	6-50mm (2mm increments)	1.5mm	.035" (0.9mm)	1.7mm	Purple	SDST		
	3.0mm	6-40mm (2mm increments)	2.5mm	.045" (1.1mm)	2.0mm	Gold	SDST		
	3.5mm	6-50mm (2mm increments)	2.5mm	.045″ (1.1mm)	2.0mm	Green	SDST		
	4.0mm	6-50mm (2mm increments)	3.0mm	.062" (1.6mm)	2.5mm	Grey	SDST		
	4.5mm	6-50mm (2mm increments)	3.0mm	.062" (1.6mm)	2.5mm	Brown	SDST		
	6.5mm	30-40mm (2mm increments) 45-120mm (5mm increments)	4.0mm	2mm	4.3mm	Rose Gold	SDST		

	HBS Headless Compression Screws									
	Ø (Distal)	Ø (Proximal)	Length	Driver (Torx)	Guide Wire	Drill	Color	Tip*		
(ffis estate)	2.5mm	3.5mm	10-40mm (2mm increments)	T-8	.035" (0.9mm)	1.7mm	Rose Gold	SDST		
	3.0mm	3.5mm	10-40mm (2mm increments)	T-8	.035" (0.9mm)	1.7mm	Blue	SDST		
	2.5mm	3.5mm	10-30mm (1mm increments)	T-8	.035" (0.9mm)	1.7mm	Purple	ST		
	3.0mm	3.9mm	10-30mm (1mm increments)	T-8	.035" (0.9mm)	1.7mm	Grey	ST		
M	3.0mm	3.9mm	10-30mm (2mm increments)	T-8	.035" (0.9mm)	1.7mm	Silver	SDST		

This content is provided as an educational tool only and is not meant as medical advice in the usage of specific BioPro products. A healthcare professional must use their professional judgment in making any final determinations in product usage and technique. The product's Instructions for Use, should always be reviewed prior to surgery. Postoperative management is patient-specific and dependent on the treating professional's assessment. Individual results will vary and not all patients will experience the same postoperative activity level or outcomes. This information does not constitute medical, legal, or any other type of professional advice and should not be relied upon as such. It is not to be redistributed, duplicated, or disclosed without the express written consent of BioPro, Inc.





BioPro, Inc. 2929 Lapeer Road, Port Huron, MI 48060, USA info@bioproimplants.com | 1-810-982-7777 www.bioproimplants.com