


First MPJ Hemi Implant

The proven joint fusion alternative, backed by over 70 years of clinical data.^{1,2}



BIOLOGICALLY ORIENTED PROSTHESES



Low 2.5mm profile for minimal bone resection

Porous coated (PC) features beads on the underside of the implant as well as the proximal portion of the stem. The porous coating beads match the implant's material, allowing for improved biological fixation.

Diamond shaped, barbed stem for a press-fit design with secure intramedullary fixation

The BioPro[®] First MPJ Hemi Implant is the only hemi backed by 70+ years of clinical data. Our low-profile, press-fit implants are designed to replace the articular surface of the proximal phalanx in a painful, arthritic metatarsophalangeal (MTP) joint. The procedure offers restoration of motion and pain relief, with a minimal bone resection technique.^{1,2}

| \checkmark | 20+ year survivorship data ¹ |
|--------------|--|
| \checkmark | +95% implant survivorship on average* |
| \checkmark | 97% of patients would recommend the procedure 2 |
| \checkmark | Immediate weight-bearing |
| \checkmark | ≤6 weeks return to activities ² |



| | SM 17MM | M/S 18.5MM | MD 20MM | M/L 21.5MM | LG 23MM |
|-------------------|---------|------------|---------|------------|---------|
| Cobalt Chrome PC | 10412 | 17034 | 10413 | 14960 | 10414 |
| Cobalt Chrome NPC | 10060 | 17033 | 10061 | 14958 | 10062 |
| Titanium PC | 17035 | 17197 | 17036 | 17037 | 17038 |
| Titanium NPC | 16813 | 17198 | 16814 | 16815 | 16816 |

REFERENCES

Townley, MD, Taranow, DO. A metallic hemiarthroplasty resurfacing prosthesis for the hallux metatarsophalangeal joint. Foot & Ankle International 1994;15(11):575-80
Beekhuizen, Stefan R. et al. Long-Term Results of Hemiarthroplasty Compared With Arthrodesis for Osteoarthritis of the First Metatarsophalangeal Joint. The Journal of Foot and Ankle Surgery, Volume 57, Issue 3, 445 - 450

*Data on file

This content is provided as an educational tool only and is not meant as medical advice in the usage of specific BioPro products. A healthcare professional must use their professional judgment in making any final determinations in product usage and technique. The product's Instructions for Use, should always be reviewed prior to surgery. Postoperative management is patient-specific and dependent on the treating professional's assessment. Individual results will vary and not all patients will experience the same postoperative activity level or outcomes. This information does not constitute medical, legal, or any other type of professional advice and should not be relied upon as such. It is not to be redistributed, duplicated, or disclosed without the express written consent of BioPro, Inc.





BioPro, Inc. 2929 Lapeer Road, Port Huron, MI 48060, USA info@bioproimplants.com | 1-810-982-7777 www.bioproimplants.com

ntertek